



McCoy
SOULDAL

ACCESSORIES

FOR PERFECT FINISHING

ADHESIVE REMOVER | SEALANT REMOVER
CARTRIDGE CUTTER | FINISHING TOOL
SILICONE SCRAPER | SWIPEX



CARTRIDGE CUTTER

Cut cartridges easily and safely with our cartridge cutter.



JOINT SMOOTHING TOOL

Silicone sealant smoothing tool, for a smooth professional finish.



SILICONE SCRAPER

This all purpose universal scraper is great for scraping the old layer of silicone. Flat, flexible end is great for getting the job done effortlessly. Smaller pointed end is perfect for scraping the notorious corners. It is made out of special material to avoid damage to the surface.



20 wipes pack

SWIPEX

Heavy duty non-woven wipes impregnated with a mixture of solvents, biodegradable non-ionic.

APPLICATIONS:

Designed for removing paint and other associated soilings such as inks, adhesives, sealants, oils and greases from hands, tools and non-porous surfaces.



100ml bottle



SILICONE REMOVER

Terpene based, easy to use cleaning agent for the removal of cured silicones and MS Polymers removal of all types of cured silicone and MS Polymer based sealants from all sorts of substrates. Liquid gel, easy application by brush. Non-sagging, fast & effective.



100ml bottle: Clear

CURED PU FOAM REMOVER

For the quick and easy removal of cured polyurethane foam residues from non-porous surfaces such as plastics, metals and PVCu.

- Odourless
- Applied by brush or spatula
- Highly effective
- Solvent free

SEALANT REMOVER

A ready-to-use and fast working spray based on terpenes for removing hardened silicones and MS Polymers.

Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

Applications

Removal of old silicone residue, spilled silicone or spilled MS Polymers from different kind of surfaces.

- Fast-working
- Does not drip
- Specially for silicones and MS Polymers
- Spray action

400 ml Aerosol Spray



ADHESIVE REMOVER

Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

Applications:

Transparent solvent mixture suitable for removing fresh glue stains. Cleans brushes, palette knives and spatulas.

Removes hard excess contact glue. Not suitable for polystyrene and plexiglas. May damage certain surfaces (e.g. plastics).

- Removes fresh glue stains
- Cleans and degreases
- Does not leave residue
- Aerosol can be used at any angle (360°)



APPLICATORS



JM 108 DT (RABBIT)

- 9" cradle type
- Smooth rod
- Reinforce rib on edge of body



JM 148 A-B (BULL DOG)

- 9" cradle type
- Smooth rod
- Fleat treated push rod for heavy duty material



MS 168 C (CAMEL)

- 600ml capacity, smooth rod
- Built in seal punch on handle
- Aluminium plus plastic barrel

Pneumatic Operation



TYNE & TRENT (AIRFLOW II)

- Pneumatic applicator for cartridges and sausages
- Dispenses 310ml, 400ml and 600ml packs
- Available in 2 standard barrel lengths (aluminium)
- Tethered piston and plunger action
- Quick exhaust valve minimizes 'flow on'
- Easily adjustable pressure regulator



COMPACT FOAM GUN

- Used for foam applications
- With flow adjustment screw
- Plastic body

COMPACT FOAM GUN EXTENSION





McCoy Soudal Sealants Adhesives and Foams Pvt. Ltd.

McCoy Corporate Tower, C-55 Okhla Industrial Area, Phase - I, New Delhi - 110020

Tel.: +91 11 40623344 (100 Lines), Fax: +91 40623355, Helpline: +91 9958003951

Email: info@mccoysoudal.com, Website: www.mccoysoudal.com